

# Velforms POS V300

## FOR FLEXIBLE PAYMENT SCENARIOS

Optional camera for QR Code Payment  
V300 creates omni-channel payment platform.  
Multiple choices of communication, Ideal for  
flexible payment scenarios

- Exception Stability and Reliability
- Secure Transactions Guaranteed
- High – Speed Thermal Printer
- Omni-Channel Payment



GPRS



Wi-Fi



4G



Magstripe



IC Card



NFC



1D/2D  
Scanning



# Velforms POS V300 Specification

## OS

VOS



## Display

2.8 Color Screen  
320x240



## PRINTER

High Speed thermal printer  
Paper Width: 58mm  
Diameter: 38mm



## Peripheral Ports

1 Powered Type-C USB OTG



## Environmental

Operating temperature: 0°C – 50°C  
Storage temperature: -20°C – 70°C  
Relative humidity: 5%-95%  
Non-condensing



## Weight

<400g



## Processor

32bit ARM11 SecureCore SC300



## Communications

GPRS



## Card Readers

Magnetic Card Reader  
IC card reader  
NFC Reader



## Card Slots

1 SIM  
1 PSAM



## Dimension

166 x 80 x 54mm  
LxWxH



## Optional Configurations

Display  
Resistive touch screen  
Electronic signature  
Communication  
WIFI 802, 11b/g/n  
2.4G  
4G  
Camera  
1D/2D Scanner



## Memory

RAM: 1MB (Optional 8MB)  
ROM: 16MB  
Micro SD card up to 32GB



## Keys

19 Keys



## Audio

Buzzer



## Battery

Li-ion Battery  
3.6V/2600mAh



## Indicator Lights

4 LED Indicators



## Certificates

PCI PTS 5.x, EMV L1&L2  
EMV CL L1, Mastercard Paypass  
Visa Paywave, Amex Expresspay  
JCB J/Speedy, Mastercard TQM,  
Discover D-PAS, RuPay, FCC CE,  
ROHS, BIS

